

FIRELITE TRANSPORT FDHP-301-125

Hannay 4000 series electric reel with your choice of 50' of 1" or 100' of 3/4" booster hose

Scotty foam system
5 gallon foam cell

Top water tank fill point
125, 160, or 200 gallon
poly water tank

Rescue area with stainless steel grab bars

Pump features
stainless steel
piping & brass valves

Large hose
storage area
with tailgate

All aluminum tubing &
diamond plate chassis

Reinforced skid plate
bottom for fork lifts

Davey 6.5, 9, or 13 hp or
Darley 1.5 AGE 13HX pump

Photo shown with optional red rubber jacketed booster hose.

BASE PRICE STARTS AT: \$11,750.00 + SHIPPING

UPGRADE TO 6.5 HP ELEC START:

\$600

UPGRADE TO 9HP ELEC START:

\$1,450

UPGRADE TO 13HP ELEC START:

\$1,815

UPGRADE TO 13HP DARLEY:

\$3,930

All of these standard features included in base price above

Darley & Davey Pump GPM/PSI		
Pump	GPM	PSI
Davey AK315 6.5 HP	65	48
	50	81
	20	120
Davey AK308 9 HP	120	36
	60	118
	20	144
Davey AK306 13 HP	120	40
	60	133
	20	146
Darley 1.5 AGE 13HX	120	60
	100	85
	23	225

- 125 gallon baffled poly water tank with 5 gallon foam cell
- Scotty Through The Pump, Class A Foam System
- 4000 series Hannay Electric Rewind Reel
- 100' of 3/4" or 50' of 1" Boostlite booster hose
- Self-priming up to 19' with initial prime
- Stokes basket area with stainless steel grab rails
- Hose storage area with tailgate
- Fork liftable to standard pickup bed
- 1.5" gated auxiliary suction
- 1" gated tank recirculation
- 1" gated to booster reel
- 2- 1.5" gated discharges
- CS 105/15 1" NST nozzle
- Mercedes Draftlite Kit – includes Hydro-Wick Hand Primer installed on skid; 20' of 1.5" suction hose; Foot Valve / Strainer

Dimensions	Dry Weight	Wet Weight + foam	Crated Weight
6.5 HP 48"W x 72"L x 45"H	595	1635	845
9 HP 48"W x 72"L x 45"H	626	1666	876
13 HP 48"W x 72"L x 45"H	641	1681	921
13 HP Darley 48"W x 72" L x 45" H	678	1718	958


*weights & dimensions are approximate only
Add 30 lbs to weights if going with optional red rubber jacketed booster hose



**ALL UNITS SHIP
FULLY ASSEMBLED**




**KIMTEK
CORPORATION**



326 Industrial Park Lane, Orleans VT 05860 | 888.546.8358 | KIMTEKRESEARCH.COM | BRUSHTRUCKSKIDS.COM

FIRELITE TRANSPORT FDHP-301-125

PICK-UP TRUCK SERIES OPTIONS



Add lower roller off driver's side of truck, high roller off passenger side

Add rear attack line tray (dead lay) to hold approximately 150' of 1.5" line for the length of the unit. One long tool holder box length of skid unit with a full-length door opening to the side of the unit (off passenger side) for easy access.



Add a 4' rear attack line tray (pre-connect) to hold booster line and one open toolbox holder to carry long tools with holder for long board on passenger side of skid unit

**Optional high roller also shown*

Add custom built rear attack line lay tray (pre-connect) the length of the skid unit to hold approximately 150' of 1.5" line. Second rear attack line tray (dead lay) length of the bed to hold approximately 150' of 2.5" line.



Add rear attack line tray (pre-connect) to hold approximately 150' of 1.5" line for the length of the unit. One long tool holder box length of skid unit with a full-length door opening to the side of the unit (off passenger side) for easy access.

Other options include:

Increase length of hose to 100' of 1" or 150' of ¾" – Boostlite Only

**ALL UNITS SHIP
FULLY ASSEMBLED**



**KIMTEK
CORPORATION**



FIRELITE TRANSPORT FDHP-302-160

Hannay 4000 series electric reel with your choice of 50' of 1" or 100' of 3/4" booster hose

Scotty foam system
5 gallon foam cell

Top water tank fill point
125, 160, or 200 gallon
poly water tank

Rescue area with stainless steel grab bars

Pump features
stainless steel
piping & brass valves

Large hose
storage area
with tailgate

All aluminum tubing &
diamond plate chassis

Reinforced skid plate
bottom for fork lifts

Davey 6.5, 9, or 13 hp or
Darley 1.5 AGE 13HX pump

Photo shown with optional red rubber jacketed booster hose.

BASE PRICE STARTS AT: \$12,100.00 + SHIPPING

UPGRADE TO 6.5 HP ELEC START:

\$600

UPGRADE TO 9HP ELEC START:

\$1,450

UPGRADE TO 13HP ELEC START:

\$1,815

UPGRADE TO DARLEY PUMP:

\$3,930

Darley & Davey Pump GPM/PSI

Pump	GPM	PSI
Davey AK315 6.5 HP	65	48
	50	81
	20	120
Davey AK308 9 HP	120	36
	60	118
	20	144
Davey AK306 13 HP	120	40
	60	133
	20	146
Darley 1.5 AGE 13HX	120	60
	100	85
	23	225

All of these standard features included in base price above

- 160 gallon baffled poly water tank with 5 gallon foam cell
- Scotty Through The Pump, Class A Foam System
- 4000 series Hannay Electric Rewind Reel
- 100' of 3/4" or 50' of 1" Boostlite booster hose
- Self-priming up to 19' with initial prime
- Stokes basket area with stainless steel grab rails
- Hose storage area with tailgate
- Fork liftable to standard pickup bed
- 1.5" gated auxiliary suction
- 1" gated tank recirculation
- 1" gated to booster reel
- 2- 1.5" gated discharges
- CS 105/15 1" NST nozzle
- Mercedes Draftlite Kit – includes Hydro-Wick Hand Primer installed on skid; 20' of 1.5" suction hose; Foot Valve / Strainer

Dimensions	Dry Weight	Wet Weight + foam	Crated Weight
6.5 HP 48"W x 76"L x 45"H	670	1990	925
9 HP 48"W x 76"L x 45"H	715	2035	970
13 HP 48"W x 76"L x 45"H	730	2050	985
13 HP Darley 48"W x 76" L x 45" H	767	2087	1022

*weights & dimensions are approximate only
Add 30 lbs to weights if going with optional red rubber jacketed booster hose



KIMTEK

CORPORATION


**ALL UNITS SHIP
FULLY ASSEMBLED**



326 Industrial Park Lane, Orleans VT 05860 | 888.546.8358 | KIMTEKRESEARCH.COM | BRUSHTRUCKSKIDS.COM

FIRELITE TRANSPORT FDHP-302-160

PICK-UP TRUCK SERIES OPTIONS



Add lower roller off driver's side of truck, high roller off passenger side

Add rear attack line tray (dead lay) to hold approximately 150' of 1.5" line for the length of the unit. One long tool holder box length of skid unit with a full-length door opening to the side of the unit (off passenger side) for easy access.



Add a 4' rear attack line tray (pre-connect) to hold booster line and one open toolbox holder to carry long tools with holder for long board on passenger side of skid unit

**Optional high roller also shown*

Add custom built rear attack line tray (pre-connect) the length of the skid unit to hold approximately 150' of 1.5" line. Second rear attack line tray (dead lay) length of the bed to hold approximately 150' of 2.5" line.



**ALL UNITS SHIP
FULLY ASSEMBLED**



Add rear attack line tray (pre-connect) to hold approximately 150' of 1.5" line for the length of the unit. One long tool holder box length of skid unit with a full-length door opening to the side of the unit (off passenger side) for easy access.

Other options include:

Increase length of hose to 100' of 1" or 150' of 3/4"

**Pre-connect available for area adjacent to pump only.



**KIMTEK
CORPORATION**



FIRELITE TRANSPORT FDHP-303-200

Hannay 4000 series electric reel with your choice of 50' of 1" or 100' of 3/4" booster hose

Scotty foam system
5 gallon foam cell

Top water tank fill point
125, 160, or 200 gallon
poly water tank

Rescue area with stainless steel grab bars

Pump features
stainless steel
piping & brass valves

Large hose
storage area
with tailgate

All aluminum tubing &
diamond plate chassis

Reinforced skid plate
bottom for fork lifts

Davey 6.5, 9, or 13 hp or
Darley 1.5 AGE 13HX pump

Photo shown with optional red rubber jacketed booster hose.

BASE PRICE STARTS AT: \$12,950.00 + SHIPPING

UPGRADE TO 6.5 HP ELEC START:

\$600

UPGRADE TO 9HP ELEC START:

\$1,450

UPGRADE TO 13HP ELEC START:

\$1,815

UPGRADE TO DARLEY PUMP:

\$3,930

Darley & Davey Pump GPM/PSI		
Pump	GPM	PSI
Davey AK315 6.5 HP	65	48
	50	81
	20	120
Davey AK308 9 HP	120	36
	60	118
	20	144
Davey AK306 13 HP	120	40
	60	133
	20	146
Darley 1.5 AGE 13HX	120	60
	100	85
	23	225

All of these standard features included in base price above

- 200 gallon baffled poly water tank with 5 gallon foam cell
- Scotty Through The Pump, Class A Foam System
- 4000 series Hannay Electric Rewind Reel
- 100' of 3/4" or 50' of 1" Boostlite booster hose
- Self-priming up to 19' with initial prime
- Stokes basket area with stainless steel grab rails
- Hose storage area with tailgate
- Fork liftable to standard pickup bed
- 1.5" gated auxiliary suction
- 1" gated tank recirculation
- 1" gated to booster reel
- 2- 1.5" gated discharges
- CS 105/15 1" NST nozzle
- Mercedes Draftlite Kit – includes Hydro-Wick Hand Primer installed on skid; 20' of 1.5" suction hose; Foot Valve / Strainer

Dimensions	Dry Weight	Wet Weight + foam	Crated Weight
6.5 HP 48"W x 94"L x 45"H	824	2465	1104
9 HP 48"W x 94"L x 45"H	855	2495	1135
13 HP 48"W x 94"L x 45"H	870	2510	1150
13 HP Darley 48"W x 94" L x 45" H	907	2547	1187

*weights & dimensions are approximate only
Add 30 lbs to weights if going with optional red rubber jacketed booster hose



**ALL UNITS SHIP
FULLY ASSEMBLED**




**KIMTEK
CORPORATION**



326 Industrial Park Lane, Orleans VT 05860 | 888.546.8358 | KIMTEKRESEARCH.COM | BRUSHTRUCKSKIDS.COM

FIRELITE TRANSPORT FDHP-303-200

PICK-UP TRUCK SERIES OPTIONS



Add lower roller off driver's side of truck, high roller off passenger side

Add rear attack line tray (dead lay) to hold approximately 150' of 1.5" line for the length of the unit. One long tool holder box length of skid unit with a full-length door opening to the side of the unit (off passenger side) for easy access.



Add a 4' rear attack line tray (pre-connect) to hold booster line and one open toolbox holder to carry long tools with holder for long board on passenger side of skid unit

**Optional high roller also shown*

Add custom built rear attack line tray (pre-connect) the length of the skid unit to hold approximately 150' of 1.5" line. Second rear attack line tray (dead lay) length of the bed to hold approximately 150' of 2.5" line.



**ALL UNITS SHIP
FULLY ASSEMBLED**



Add rear attack line tray (pre-connect) to hold approximately 150' of 1.5" line for the length of the unit. One long tool holder box length of skid unit with a full-length door opening to the side of the unit (off passenger side) for easy access.

Other options include:

Increase length of hose to 100' of 1" or 150' of 3/4"

**Pre-connect available for area adjacent to pump only.



**KIMTEK
CORPORATION**



FIRELITE TRANSPORT FDHP-303-300GAL

Hannay 4000 series electric reel with your choice of 50' of 1" or 100' of ¾" booster hose

Top water tank fill point
300 gallon poly water tank

5 gallon foam cell

Pump features
stainless steel plumbing,
manifold & brass valves

Scotty foam system

Rescue area with stainless steel grab bars

Large hose
storage area
with tailgate

Reinforced skid plate
bottom for fork lifts

All aluminum tubing &
diamond plate chassis

Davey 6.5, 9, or 13 hp or
Darley 1.5 AGE 13HX pump

BASE PRICE STARTS AT: \$14,950.00 + SHIPPING

UPGRADE TO 6.5 HP ELEC START:

\$600

UPGRADE TO 9HP ELEC START:

\$1,450

UPGRADE TO 13HP ELEC START:

\$1,815

UPGRADE TO DARLEY PUMP:

\$3,930

Darley & Davey Pump GPM/PSI		
Pump	GPM	PSI
Davey AK315 6.5 HP	65	48
	50	81
	20	120
Davey AK308 9 HP	120	36
	60	118
	20	144
Davey AK306 13 HP	120	40
	60	133
	20	146
Darley 1.5 AGE 13HX	120	60
	100	85
	23	225

All of these standard features included in base price above

- 300 gallon baffled poly water tank with 5 gallon foam cell
- Scotty Through The Pump, Class A Foam System
- 4000 series Hannay Electric Rewind Reel
- 100' of ¾" or 50' of 1" Boostlite booster hose
- Self-priming up to 19' with initial prime
- Stokes basket area with stainless steel grab rails
- Hose storage area with tailgate
- Fork liftable to standard pickup bed or flatbed
- 1.5" gated auxiliary suction
- 1" gated tank recirculation
- 1" gated to booster reel
- 2- 1.5" gated discharges
- CS 105/15 1" NST nozzle
- Mercedes Draftlite Kit – includes Hydro-Wick Hand Primer installed on skid; 20' of 1.5" suction hose; Foot Valve / Strainer

Dimensions	Dry Weight	Wet Weight + foam	Crated Weight
6.5 HP 48"W x 94"L x 54"H	1024	3514	1304
9 HP 48"W x 94"L x 54"H	1055	3545	1335
13 HP 48"W x 94"L x 54"H	1070	3560	1350
13 HP Darley 48"W x 94" L x 54" H	1107	3595	1387

*weights & dimensions are approximate only
Add 30 lbs to weights if going with optional red rubber jacketed booster hose



Please pay close attention to estimated weights vs vehicle's GVWR. Heavy Duty Suspension & Tires are strongly recommended.

**ALL UNITS SHIP
FULLY
ASSEMBLED**



**KIMTEK
CORPORATION**



326 Industrial Park Lane, Orleans VT 05860 | 888.546.8358 | KIMTEKRESEARCH.COM | BRUSHTRUCKSKIDS.COM

FIRELITE TRANSPORT FDHP-303-300GAL PICK-UP TRUCK SERIES OPTIONS



Add lower roller off driver's side of truck, high roller off passenger side

Add rear attack line tray (dead lay) to hold approximately 150' of 1.5" line for the length of the unit. One long tool holder box length of skid unit with a full-length door opening to the side of the unit (off passenger side) for easy access.



Add a 4' rear attack line tray (pre-connect) to hold booster line and one open toolbox holder to carry long tools with holder for long board on passenger side of skid unit

**Optional high roller also shown*



Add custom built rear attack line tray (pre-connect) the length of the skid unit to hold approximately 150' of 1.5" line. Second rear attack line tray (dead lay) length of the bed to hold approximately 150' of 2.5" line.



**ALL UNITS SHIP
FULLY ASSEMBLED**

Add rear attack line tray (pre-connect) to hold approximately 150' of 1.5" line for the length of the unit. One long tool holder box length of skid unit with a full-length door opening to the side of the unit (off passenger side) for easy access.

Other options include:

Increase length of hose to 100' of 1" or 150' of 3/4"

**Pre-connect available for area adjacent to pump only.



**KIMTEK
CORPORATION**



FIRELITE FDHP-304-125

Hannay 4000 series electric reel with your choice of 50' of 1" or 100' of ¾" booster hose

Top water tank fill point for 125, 160, or 200 gallon poly water tank

Pump features stainless steel piping & brass valves

All aluminum tubing & diamond plate chassis

Open pump platform

Reinforced skid plate bottom for fork lifts

Davey 6.5, 9, 13 hp or Darley 1.5 AGE 13 HX pump

BASE PRICE STARTS AT: \$10,750.00 + SHIPPING

UPGRADE TO 6.5 HP ELEC START:

\$600

UPGRADE TO 9HP ELEC START:

\$1,450

UPGRADE TO 13HP ELEC START:

\$1,815

UPGRADE TO DARLEY PUMP:

\$3,930

ADD SCOTTY FOAM SYSTEM:

\$500

Darley & Davey Pump GPM/PSI		
Pump	GPM	PSI
Davey AK315 6.5 HP	65	48
	50	81
	20	120
Davey AK308 9 HP	120	36
	60	118
	20	144
Davey AK306 13 HP	120	40
	60	133
	20	146
Darley 1.5 AGE 13HX	120	60
	100	85
	23	225

All of these standard features included in base price above

- 125 gallon baffled poly water tank with 5 gallon foam cell
- 100' of ¾" or 50' of 1" Boostlite booster hose
- Self-priming up to 19' with initial prime
- Fork liftable to standard pickup bed
- Mercedes Draftlite Kit – includes Hydro-Wick Hand Primer installed on skid; 20' of 1.5" suction hose; Foot Valve / Strainer
- 1.5" gated auxiliary suction
- 1" gated tank recirculation
- 1" gated to booster reel
- 2- 1.5" gated discharges
- CS 105/15 1" NST nozzle

Dimensions	Dry Weight	Wet Weight	Crated Weight
6.5 HP 48"W x 72"L x 45"H	545	1583	795
9 HP 48"W x 72"L x 45"H	576	1614	826
13 HP 48"W x 72"L x 45"H	591	1629	841
13 HP Darley 48"W x 72" L x 45"H	625	1663	875

*weights & dimensions are approximate only
Add 30 lbs to weights if going with optional red rubber jacketed booster hose
Add 40 lbs to wet weight if adding foam



**ALL UNITS SHIP
FULLY ASSEMBLED**



**KIMTEK
CORPORATION**



326 Industrial Park Lane, Orleans VT 05860 | 888.546.8358 | KIMTEKRESEARCH.COM | BRUSHTRUCKSKIDS.COM


FIRELITE FDHP-305-160

Hannay 4000 series manual reel with your choice of 50' of 1" or 100' of ¾" booster hose with wildland adjustable fog nozzle

Top water tank fill point for 125, 160, or 200 gallon poly water tank

Pump features stainless steel piping & brass valves

All aluminum tubing & diamond plate chassis



BASE PRICE STARTS AT: \$11,000.00 + SHIPPING

UPGRADE TO 6.5 HP ELEC START:	\$600	UPGRADE TO 9HP ELEC START:	\$1,450
UPGRADE TO 13HP ELEC START:	\$1,815	UPGRADE TO DARLEY PUMP:	\$3,930
ADD ELECTRIC REWIND TO REEL:	\$500	ADD SCOTTY FOAM SYSTEM:	\$500

Darley & Davey Pump GPM/PSI		
Pump	GPM	PSI
Davey AK315 6.5 HP	65	48
	50	81
	20	120
Davey AK308 9 HP	120	36
	60	118
	20	144
Davey AK306 13 HP	120	40
	60	133
	20	146
Darley 1.5 AGE 13HX	120	60
	100	85
	23	225

All of these standard features included in base price above

- 160 gallon baffled poly water tank with 5 gallon foam cell
- 100' of ¾" or 50' of 1" Boostlite booster hose
- Self-priming up to 19' with initial prime
- Fork liftable to standard pickup bed
- Mercedes Draftlite Kit – includes Hydro-Wick Hand Primer installed on skid; 20' of 1.5" suction hose; Foot Valve / Strainer
- 1.5" gated auxiliary suction
- 1" gated tank recirculation
- 1" gated to booster reel
- 2- 1.5" gated discharges
- CS 105/15 1" NST nozzle


Dimensions	Dry Weight	Wet Weight	Crated Weight
6.5 HP 48"W x 76"L x 45"H	620	1948	870
9 HP 48"W x 76"L x 45"H	651	1979	901
13 HP 48"W x 76"L x 45"H	663	1991	913
13 HP Darley 48"W x 76"L x 45"H	700	2028	950

*weights & dimensions are approximate only
Add 30 lbs to weights if going with optional red rubber jacketed booster hose
Add 40 lbs to wet weight if adding foam



**KIMTEK
CORPORATION**

**ALL UNITS SHIP
FULLY ASSEMBLED**




FIRELITE FDHP-306-200

Hannay 4000 series manual reel with your choice of 50' of 1" or 100' of ¾" booster hose with wildland adjustable fog nozzle

Top water tank fill point for 125, 160, or 200 gallon poly water tank

Pump features stainless steel piping & brass valves

All aluminum tubing & diamond plate chassis



Open pump platform

Reinforced skid plate bottom for fork lifts

Davey 6.5, 9, 13 hp or Darley 1.5 AGE 13 HX pump

BASE PRICE STARTS AT: \$11,950.00 + SHIPPING

UPGRADE TO 6.5 HP ELEC START: \$600

UPGRADE TO 13HP ELEC START: \$1,815

ADD ELECTRIC REWIND TO REEL: \$500

UPGRADE TO 9HP ELEC START: \$1,450

UPGRADE TO DARLEY PUMP: \$3,930

ADD SCOTTY FOAM SYSTEM: \$500

Darley & Davey Pump GPM/PSI		
Pump	GPM	PSI
Davey AK315 6.5 HP	65	48
	50	81
	20	120
Davey AK308 9 HP	120	36
	60	118
	20	144
Davey AK306 13 HP	120	40
	60	133
	20	146
Darley 1.5 AGE 13HX	120	60
	100	85
	23	225

All of these standard features included in base price above

- 200 gallon baffled poly water tank with 5 gallon foam cell
- 100' of ¾" or 50' of 1" Boostlite booster hose
- Self-priming up to 19' with initial prime
- Fork liftable to standard pickup bed
- Mercedes Draftlite Kit – includes Hydro-Wick Hand Primer installed on skid; 20' of 1.5" suction hose; Foot Valve / Strainer
- 1.5" gated auxiliary suction
- 1" gated tank recirculation
- 1" gated to booster reel
- 2- 1.5" gated discharges
- CS 105/15 1" NST nozzle

Dimensions	Dry Weight	Wet Weight	Crated Weight
6.5 HP 48"W x 94"L x 45"H	774	2434	1024
9 HP 48"W x 94"L x 45"H	805	2465	1055
13 HP 48"W x 94"L x 45"H	820	2480	1070
13 HP Darley 48"W x 94"L x 45"H	854	2514	1104


*weights & dimensions are approximate only
Add 30 lbs to weights if going with optional red rubber jacketed booster hose
Add 40 lbs to wet weight if adding foam




KIMTEK

CORPORATION

**ALL UNITS SHIP
FULLY ASSEMBLED**



FIRELITE TRANSPORT FCUHP-401-125



BASE PRICE STARTS AT: \$14,750.00 + SHIPPING

CAT triplex, gearbox driven high-pressure pump GPM/PSI

GPM	PSI
6.7	1200

All of these standard features included in base price above

- 125 gallon poly water tank with integrated 5 gallon foam cell
- CAT UHP pump with foam induction system ideal for Class A concentrates
- CAT Dual-strike UHP nozzle that delivers water or foam solution
- Injection percentage from 0.5% to 6.0%
- 9 HP Honda gas engine with electric start
- 1500 series UHP Hannay Electric Rewind Reel
- 100' of 1/2" high pressure rated booster hose with UHP nozzle
- Pressure gauge
- Inlet filter
- Primary and secondary pressure relief
- Purging system

Dimensions	Dry Weight	Wet Weight + foam	Crated Weight
125 Gallon 48"W x 72"L x 45"H	656	1696	906

*weights & dimensions are approximate only



**ALL UNITS SHIP
FULLY ASSEMBLED**




**KIMTEK
CORPORATION**



326 Industrial Park Lane Orleans VT 05860 | 888.546.8358 KIMTEKRESEARCH.com

FIRELITE TRANSPORT FCUHP-402-160



BASE PRICE STARTS AT: \$15,250.00 + SHIPPING

CAT triplex, gearbox driven high-pressure pump GPM/PSI

GPM	PSI
6.7	1200

All of these standard features included in base price above

- 160 gallon poly water tank with integrated 5 gallon foam cell
- CAT UHP pump with foam induction system ideal for Class A concentrates
- CAT Dual-strike UHP nozzle that delivers water or foam solution
- Injection percentage from 0.5% to 6.0%
- 9 HP Honda gas engine with electric start
- 1500 series UHP Hannay Electric Rewind Reel
- 100' of ½" high pressure rated booster hose with UHP nozzle
- Pressure gauge
- Inlet filter
- Primary and secondary pressure relief
- Purging system

Dimensions	Dry Weight	Wet Weight + foam	Crated Weight
160 Gallon 48"W x 76"L x 45"H	745	2065	1000

*weights & dimensions are approximate only



**ALL UNITS SHIP
FULLY ASSEMBLED**




**KIMTEK
CORPORATION**



326 Industrial Park Lane Orleans VT 05860 | 888.546.8358 KIMTEKRESEARCH.com

FIRELITE TRANSPORT FCUHP-403-200



BASE PRICE STARTS AT: \$15,750.00 + SHIPPING

CAT triplex, gearbox driven high-pressure pump GPM/PSI

GPM	PSI
6.7	1200

All of these standard features included in base price above

- 200 gallon poly water tank with integrated 5 gallon foam cell
- CAT UHP pump with foam induction system ideal for Class A concentrates
- CAT Dual-strike UHP nozzle that delivers water or foam solution
- Injection percentage from 0.5% to 6.0%
- 9 HP Honda gas engine with electric start
- 1500 series UHP Hannay Electric Rewind Reel
- 100' of 1/2" high pressure rated booster hose with UHP nozzle
- Pressure gauge
- Inlet filter
- Primary and secondary pressure relief
- Purging system

Dimensions	Dry Weight	Wet Weight + foam	Crated Weight
200 Gallon 48"W x 94"L x 45"H	885	2585	1165

*weights & dimensions are approximate only



**ALL UNITS SHIP
FULLY ASSEMBLED**




**KIMTEK
CORPORATION**



326 Industrial Park Lane Orleans VT 05860 | 888.546.8358 KIMTEKRESEARCH.com

FIRELITE FCUHP-404-125



BASE PRICE STARTS AT: \$14,250.00 + SHIPPING

CAT triplex, gearbox driven high-pressure pump GPM/PSI

GPM	PSI
6.7	1200

All of these standard features included in base price above

- 125 gallon poly water tank with integrated 5 gallon foam cell
- CAT UHP pump with foam induction system ideal for Class A concentrates
- CAT Dual-strike UHP nozzle that delivers water or foam solution
- Injection percentage from 0.5% to 6.0%
- 9 HP Honda gas engine with electric start
- 1500 series UHP Hannay Electric Rewind Reel
- 100' of 1/2" high pressure rated booster hose with UHP nozzle
- Pressure gauge
- Inlet filter
- Primary and secondary pressure relief
- Purging system

Dimensions	Dry Weight	Wet Weight + foam	Crated Weight
125 Gallon 48"W x 72"L x 45"H	606	1684	856

*weights & dimensions are approximate only



**ALL UNITS SHIP
FULLY ASSEMBLED**




**KIMTEK
CORPORATION**



326 Industrial Park Lane Orleans VT 05860 | 888.546.8358 KIMTEKRESEARCH.com

FIRELITE FCUHP-405-160



BASE PRICE STARTS AT: \$14,600.00 + SHIPPING

CAT triplex, gearbox driven high-pressure pump GPM/PSI

GPM	PSI
6.7	1200

All of these standard features included in base price above

- 160 gallon poly water tank with integrated 5 gallon foam cell
- CAT UHP pump with foam induction system ideal for Class A concentrates
- CAT Dual-strike UHP nozzle that delivers water or foam solution
- Injection percentage from 0.5% to 6.0%
- 9 HP Honda gas engine with electric start
- 1500 series UHP Hannay Electric Rewind Reel
- 100' of ½" high pressure rated booster hose with UHP nozzle
- Pressure gauge
- Inlet filter
- Primary and secondary pressure relief
- Purging system

Dimensions	Dry Weight	Wet Weight + foam	Crated Weight
160 Gallon 48"W x 76"L x 45"H	681	2049	931

*weights & dimensions are approximate only



**ALL UNITS SHIP
FULLY ASSEMBLED**




**KIMTEK
CORPORATION**



326 Industrial Park Lane Orleans VT 05860 | 888.546.8358 KIMTEKRESEARCH.com

FIRELITE FCUHP-406-200



BASE PRICE STARTS AT: \$14,950.00 + SHIPPING

CAT triplex, gearbox driven high-pressure pump GPM/PSI

GPM	PSI
6.7	1200

All of these standard features included in base price above

- 200 gallon poly water tank with integrated 5 gallon foam cell
- CAT UHP pump with foam induction system ideal for Class A concentrates
- CAT Dual-strike UHP nozzle that delivers water or foam solution
- Injection percentage from 0.5% to 6.0%
- 9 HP Honda gas engine with electric start
- 1500 series UHP Hannay Electric Rewind Reel
- 100' of 1/2" high pressure rated booster hose with UHP nozzle
- Pressure gauge
- Inlet filter
- Primary and secondary pressure relief
- Purging system

Dimensions	Dry Weight	Wet Weight + foam	Crated Weight
200 Gallon 48"W x 94"L x 45"H	835	2535	1085

*weights & dimensions are approximate only



**ALL UNITS SHIP
FULLY ASSEMBLED**



**KIMTEK
CORPORATION**



326 Industrial Park Lane Orleans VT 05860 | 888.546.8358 KIMTEKRESEARCH.com